

List of Contents

NUMBER 1

Graeme Bonham-Carter	1 Editorial
I. Dunkl	3 Trackkey: a Windows program for calculation and graphical presentation of fission track data*
Bo Huang and Hui Lin	13 A Java/CGI approach to developing a geographic virtual reality toolkit on the Internet*
Bora Oz, Clayton V. Deutsch and Peter Frykman	21 A visualbasic program for histogram and variogram scaling*
Darius S. Culvenor	33 TIDA: an algorithm for the delineation of tree crowns in high spatial resolution remotely sensed imagery
Derek R. Peddle and David T. Ferguson	45 Optimisation of multisource data analysis: an example using evidential reasoning for GIS data classification
<i>Short Note</i>	
V. Chakravarthi, H.M. Raghuram and S.B. Singh	53 3-D forward gravity modeling of basement interfaces above which the density contrast varies continuously with depth*
Edoardo del Pezzo and Flora Giudicepietro	59 Plane wave fitting method for a plane, small aperture, short period seismic array: a MATHCAD program*
Jeong-Soo Park and Byung Jun Park	65 Maximum likelihood estimation of the four-parameter Kappa distribution using the penalty method*
Manfred Mudelsee	69 TAUEST: a computer program for estimating persistence in unevenly spaced weather/climate time series*
D. Perugini	73 MorphoUt 1.0: utilities for closed shape morphometry*
Domingo Aerden and Javier Sanchez San Roman	81 STEREOFIT: A program for fitting directional data to multiple planes and some applications in structural geology
<i>Book Review</i>	
B.S. Daya Sagar	87 GIS and Geocomputation
<i>Corrigendum</i>	
Ting-To Yu, John B. Rundle and José Fernández	89 Corrigendum to "Deformation produced by a rectangular dipping fault in a viscoelastic-gravitational layered earth model. Part II: strike-slip fault—STRGRV and STRGRH FORTRAN programs" [Computers and Geosciences 22 (1996) 751–764]
<i>Guest Editorial</i>	
Ubbo Visser and Hardy Pundt	93 Special issue: "Intelligent methods for processing geodata"
Hardy Pundt and Yaser Bishr	95 Domain ontologies for data sharing—an example from environmental monitoring using field GIS
U. Visser, H. Stuckenschmidt, G. Schuster and T. Vögele	103 Ontologies for geographic information processing

Oleg M. Pokrovsky,
Roger H.F. Kwok and C.N. Ng

- 119 Fuzzy logic approach for description of meteorological impacts on urban air pollution species: a Hong Kong case study

Daniel N.M. Donoghue
and Nathalie Mironnet

- 129 Development of an integrated geographical information system prototype for coastal habitat monitoring

NUMBER 2

Stephan Schwere, Andreas Stohl
and Mathias W. Rotach

- 143 Practical considerations to speed up Lagrangian stochastic particle models

Juan Homero Hinojosa
and Kevin L. Mickus

- 155 Thermoelastic modeling of lithospheric uplift: a finite-difference numerical solution*

Gary L. Raines

- 169 Description and comparison of geologic maps with FRAGSTATS—a spatial statistics program

E.H. van den Berg, A.G.C.A. Meesters,
J.A.M. Kenter and W. Schlager

- 179 Automated separation of touching grains in digital images of thin sections*

Antonio G. Camacho,
Fuensanta G. Montesinos
and Ricardo Vieira

- 191 A 3-D gravity inversion tool based on exploration of model possibilities*

L. De Cesare, D.E. Myers and D. Posa

- 205 FORTRAN programs for space-time modeling*

Jae Choi, Frédérique Francois-Carcaillet
and Bernard P. Boudreau

- 213 Lattice-automaton bioturbation simulator (LABS): implementation for small deposit feeders

Hsien-Cheng Chang,
David C. Kopaska-Merkel
and Hui-Chuan Chen

- 223 Identification of lithofacies using Kohonen self-organizing maps

Andrew Richmond

- 231 Two-point declustering for weighting data pairs in experimental variogram calculations*

John Q. Belt Jr. and Gary K. Rice

- 243 Application of statistical quality control measures for near-surface geochemical petroleum exploration

Serkan Yilmaz, Cem Demircioglu
and Serhat Akin

- 261 Application of artificial neural networks to optimum bit selection

M. Amore, A. Bonaccorso,
F. Ferrari and M. Mattia

- 271 Eolo: software for the automatic on-line treatment and analysis of GPS data for environmental monitoring*

Book Review
Ulrich Zier

- 281 Geostatistics for Environmental scientists

NUMBER 3

Philippe M. Sonnet

- 283 EVFIT, a MATLAB[®] program for selecting the best exchange vectors to represent mineral formulae*

Susanta Kumar Samanta, Nibir Mandal, Chandan Chakraborty and Koushik Majumder	297	Simulation of inclusion trail patterns within rotating synkinematic porphyroblasts*
D. Elizondo, B. Cappelaere and Ch. Faure	309	Automatic versus manual model differentiation to compute sensitivities and solve non-linear inverse problems*
B.M. Hartley	327	Exact travel time calculations for simple three-dimensional Earth models in seismic exploration using computer algebra*
Lucy Bastin, Peter F. Fisher and Jo Wood	337	Visualizing uncertainty in multi-spectral remotely sensed imagery*
Istvan Csato and Christopher G.St.C. Kendall	351	Modeling of stratigraphic architectural patterns in extensional settings—towards a conceptual model
Cheinway Hwang and Lih-Shinn Hwang	357	Satellite orbit error due to geopotential model error using perturbation theory: applications to ROCSAT-2 and COSMIC missions*
Shen Wei and Zhao Pengda	369	Theoretical study of statistical fractal model with applications to mineral resource prediction*
Christian D. Klose	377	Fuzzy rule-based expert system for short-range seismic prediction
Barton R. Faulkner	387	Java classes for nonprocedural variogram modeling*
Sait Ismail Özkaya	399	CURVAZ—a program to calculate magnitude and direction of maximum structural curvature and fracture-flow index*
Sait Ismail Özkaya	409	KINKFOLD—an AutoLISP program for construction of geological cross-sections using borehole image data*
Michael Schulz and Manfred Mudelsee	421	REDFIT: estimating red-noise spectra directly from unevenly spaced paleoclimatic time series*
<i>Letter to the Editor</i> Göksel Türk	427	Comment on "Markov chain analysis of vertical facies sequences using a computer software package (SAVFS): Courtmacsherry formation", by H. Xu and I.A.J. MacCarthy
<i>Book review</i> James R. Carr	431	Practical geostatistics: modeling and spatial analysis

NUMBER 4

Jan T. Bjørke and Stein Nilsen	433	Efficient representation of digital terrain models: compression and spatial decorrelation techniques
Renée Heilbronner	447	Analysis of bulk fabrics and microstructure variations using tessellations of autocorrelation functions*
Jon Sáenz, Juan Zubillaga and Jesús Fernández	457	Geophysical data analysis using Python*
Sait Ismail Ozkaya	467	QUADRO—a program to estimate principal curvatures of folds*

R. Sturm	473	PX-NOM—an interactive spreadsheet program for the computation of pyroxene analyses derived from the electron microprobe*
Jui-Sheng Chen and Chen-Wuing Liu	485	Numerical simulation of the evolution of aquifer porosity and species concentrations during reactive transport*
K.S. Beaty, G. Perron, I. Kay and E. Adam	501	DSISoft—a MATLAB VSP data processing package*
Manuel Jauregui, José Vilchez and Leira Chacón	513	A procedure for map updating using digital mono-plotting*
C.V. Deutsch and T.T. Tran	525	FLUVSIM: a program for object-based stochastic modeling of fluvial depositional systems*
Dennis J. Whitford	537	Teaching ocean wave forecasting using computer-generated visualization and animation—Part 1: sea forecasting*
Dennis J. Whitford	547	Teaching ocean wave forecasting using computer-generated visualization and animation—Part 2: swell forecasting*
Andrew Richmond	555	An alternative implementation of indicator kriging*
Qiuming Cheng and Qingmou Li	567	A fractal concentration–area method for assigning a color palette for image representation
<i>Short notes</i>		
Steven L. Markstrom, Gregory McCabe and Olaf David	577	Web-based distribution of geo-scientific models*
Yoshinori Watanabe and Yoshito Nakashima	583	RW3D.m: three-dimensional random walk program for the calculation of the diffusivities in porous media*

NUMBER 5

Christophe Huber, Montserrat Filella and Raewyn M. Town	587	Computer modelling of trace metal ion speciation: practical implementation of a linear continuous function for complexation by natural organic matter*
Sally Newman and Jacob B. Lowenstern	597	VOLATILECALC: a silicate melt–H ₂ O–CO ₂ solution model written in Visual Basic for excel*
Anthony A.P. Koppers	605	ArArCALC—software for ⁴⁰ Ar/ ³⁹ Ar age calculations*
Serdar Bayari	621	TRACER: an EXCEL workbook to calculate mean residence time in groundwater by use of tracers CFC-11, CFC-12 and tritium*
David W. Leverington, James T. Teller and Jason D. Mann	631	A GIS method for reconstruction of late Quaternary landscapes from isobase data and modern topography
Ute Christina Herzfeld	641	Vario functions of higher order — definition and application to characterization of snow surface roughness
Simone Beatriz Lima Ranieri, Quirijn de Jong van Lier, Gerd Sparovek and Dennis C. Flanagan	661	Erosion database interface (EDI): a computer program for geo-referenced application of erosion prediction models

- Sean W. Fleming, Gregory J. Ruskauff and Alison Adams 669 HJWFTAC: software for Hantush–Jacob analysis of variable-rate, multiple-extraction well pumping tests*
- Jürgen Friedrich 679 A linear analytical boundary element method (BEM) for 2D homogeneous potential problems*
- T. Matcharashvili, T. Chelidze, Z. Javakhishvili and E. Ghlonti 693 Detecting differences in temporal distribution of small earthquakes before and after large events
- Neil A. Wells 701 Display of Munsell color values, earthquakes, and other three- and four-parameter datasets in stereo 3D*
- Short notes*
- Surendra P. Verma, Ignacio S. Torres-Alvarado and Zulma T. Sotelo-Rodríguez 711 SINCLAS: standard igneous norm and volcanic rock classification system*
- J.P. le Roux, R.D. O'Brien, F. Rios and M. Cisternas 717 Analysis of sediment transport paths using grain-size parameters*

NUMBER 6

- Andrea Takeda, Simon Cox and Antony J. Payne 723 Parallel numerical modelling of the Antarctic Ice Sheet
- Alberto Refice and Domenico Capolongo 735 Probabilistic modeling of uncertainties in earthquake-induced landslide hazard assessment*
- Alan Witten 751 Geophysica: MATLAB-based software for the simulation, display and processing of near-surface geophysical data*
- David A. Clausi and Yongping Zhao 763 Rapid extraction of image texture by co-occurrence using a hybrid data structure
- Tobore Orife, Luis Arlegui and Richard J. Lisle 775 DIPSLIP: a QuickBasic stress inversion program for analysing sets of faults without slip lineations*
- Short note*
- Ian Jackson and Kristine Asch 783 The status of digital geological mapping in Europe: The results of a census of the digital mapping coverage, approaches and standards of 29 European geological survey organisations in the year 2000

NUMBER 7

- Nicolas Dittert, Lydie Corrin, Michael Diepenbroek, Hannes Grobe, Christoph Heinze and Olivier Ragueneau 789 Management of (pale-)oceanographic data sets using the PANGAEA information system: the SINOPS example*
- G.R.J. Cooper 799 Fixed point inversion of geophysical data*
- Brian S. Penn 809 Using simulated annealing to obtain optimal linear end-member mixtures of hyperspectral data
- Thomas Mejer Hansen and Bo Holm Jacobsen 819 Efficient finite difference waveform modeling of selected phases using a moving zone*

- | | | |
|---|-----|--|
| Wei Zhou and Norbert H. Maerz | 827 | Implementation of multivariate clustering methods for characterizing discontinuities data from scanlines and oriented boreholes* |
| C.H. Lindenbeck, H.D. Ebert,
H. Ulmer, L. Pallozzi Lavorante
and R. Pflug | 841 | TRICUT: a program to clip triangle meshes using the rapid and triangle libraries and the visualization toolkit* |
| <i>Short note</i>
Francesca Bianco and
Edoardo Del Pezzo | 851 | Scat-Cad: a Mathcad 2000 professional package to model the energy decay due to seismic attenuation* |

NUMBER 8

- | | | |
|--|------|--|
| E. Pardo-Igúzquiza and P.A. Dowd | 857 | FACTOR2D: a computer program for factorial cokriging* |
| N.M. Sirakov, I. Granado and F.H. Muge | 877 | Interpolation approach for 3D smooth reconstruction of subsurface objects |
| Thomas Bohlen | 887 | Parallel 3-D viscoelastic finite difference seismic modelling* |
| Sándor Kabos and Ferenc Csillag | 901 | The analysis of spatial association on a regular lattice by join-count statistics without the assumption of first-order homogeneity* |
| Xiaoxian Zeng and
George A. McMechan | 911 | Load balancing across a highly heterogeneous processor cluster using file status probes |
| Mehmet Keskin | 919 | FC-modeler: a Microsoft® Excel® spreadsheet program for modeling Rayleigh fractionation vectors in closed magmatic systems* |
| Rich Pawlowicz, Bob Beardsley
and Steve Lentz | 929 | Classical tidal harmonic analysis including error estimates in MATLAB using T_TIDE* |
| Josef Pek and Fernando A.M. Santos | 939 | Magnetotelluric impedances and parametric sensitivities for 1-D anisotropic layered media* |
| Jorge Lira and Gabriela Maletti | 951 | A supervised contextual classifier based on a region-growth algorithm |
| Juan Contreras | 961 | FBF: a software package for the construction of balanced cross-sections* |
| Nicolas Remy, Arben Shtuka,
Bruno Levy and Jef Caers | 971 | G _S TL: the geostatistical template library in C++* |
| G. Drogue, L. Pfister, T. Leviandier,
J. Humbert, L. Hoffmann,
A. El Idrissi and J.-F. Iffly | 981 | Using 3D dynamic cartography and hydrological modelling for linear streamflow mapping |
| <i>Short note</i>
Konrad Ebisch | 995 | A correction to the Douglas–Peucker line generalization algorithm* |
| J.F. Kirby | 999 | A FORTRAN 90 subroutine to calculate array sizes prior to a mixed-radix fast Fourier transform* |
| | 1003 | Best Paper Award, 2001 |

NUMBER 9

- | | | |
|---|------|---|
| Cheinway Hwang, Cheng-Gi Wang
and Li-Hua Lee | 1005 | Adjustment of relative gravity measurements using weighted and datum-free constraints* |
| F. Yavuz, A.H. Gültekin and
M.Ç. Karakaya | 1017 | CLASTOUR: a computer program for classification of the minerals of the tourmaline group* |
| Richard J. Lisle and Tobore Orife | 1037 | STRESSTAT: a <i>Basic</i> program for numerical evaluation of multiple stress inversion results* |
| Jean-François Delerue and
Edith Perrier | 1041 | DXSoil, a library for 3D image analysis in soil science* |
| Richard Jones | 1051 | Algorithms for using a DEM for mapping catchment areas of stream sediment samples* |
| J. Ježek and F. Hrouda | 1061 | Software for modeling the magnetic anisotropy of strained rocks* |
| A. Caserta, V. Ruggiero and
P. Lanucara | 1069 | Numerical modelling of dynamical interaction between seismic radiation and near-surface geological structures: a parallel approach* |
| Fausto Guzzetti, Giovanni Crosta,
Riccardo Detti and Federico Agliardi | 1079 | STONE: a computer program for the three-dimensional simulation of rock-falls* |
| P.J. Atkinson and D.J. Unwin | 1095 | Density and local attribute estimation of an infectious disease using MapInfo* |
| Edith Perrier, Patricia Garnier and
Christian Leclerc | 1107 | ECOUL: an interactive computer tool to study hydraulic behavior of swelling and rigid soils* |
| <i>Short Note</i>
Mallika Mullick and R.K. Majumdar | 1119 | A Fortran program for computing the mise-a-la-masse response over a dyke-like body* |

NUMBER 10

- | | | |
|--|------|---|
| Alex Woronow | 1127 | Dedication to John C. Butler |
| Eric Grunsky | 1129 | Shareware and Freeware in the Geosciences II. A special issue in honour of John Butler |
| Masahiro Takatsuka and
Mark Gahegan | 1131 | GeoVISTA <i>Studio</i> : a codeless visual programming environment for geoscientific data analysis and visualization* |
| Craig H. Jones | 1145 | User-driven integrated software lives: "Paleomag" paleomagnetism analysis on the Macintosh* |
| Larry Biehl and David Landgrebe | 1153 | MultiSpec—a tool for multispectral-hyperspectral image data analysis* |
| Norman MacLeod | 1161 | <i>PaleoNet</i> : paleontology, publication and community in the digital age |

- | | | |
|---|------|--|
| Bernhardt Saini-Eidukat,
Donald P. Schwert and
Brian M. Slator | 1167 | Geology explorer: virtual geologic mapping and interpretation* |
| Klaus Bitzer and Ramon Salas | 1177 | SIMSAFADIM: three-dimensional simulation of stratigraphic architecture and facies distribution modeling of carbonate sediments |
| Hugo Ortner, Franz Reiter
and Peter Acs | 1193 | Easy handling of tectonic data: the programs TectonicVB for Mac and TectonicsFP for Windows TM * |
| Michael Diepenbroek, Hannes Grobe,
Manfred Reinke, Uwe Schindler,
Reiner Schlitzer, Rainer Sieger
and Gerold Wefer | 1201 | PANGAEA—an information system for environmental sciences |
| Reiner Schlitzer | 1211 | Interactive analysis and visualization of geoscience data with Ocean Data View* |
| E.C. Grunsky | 1219 | R: a data analysis and statistical programming environment—an emerging tool for the geosciences |